USSN 10/607,858

PAGE 09/31

Docket No.: 7302 / 0140-2

REMARKS

8

Claims 1, 22, 27, 29, and 32 have been amended, for the sake of clarity, to recite a

fibrous mat comprising a non-woven, glass fiber web bonded together with a resinous binder.

The glass fibers used in the mat consist essentially of chopped glass fibers having an average

fiber diameter ranging from about 9.5 to 12.5 µm. Claim 16 has been cancelled to expedite

prosecution of this application.

Support for the amendment of claims 1, 22, 27, 29, and 32 is found in the

specification, e.g. at page 13, lines 9-11. Consequently, no new matter has been added.

Claim 28 stands withdrawn as being directed to a non-elected invention. Accordingly,

claims 1-15, 17-27 and 29-32, as amended, remain pending.

Applicant's invention, as recited by claims 1-15, 17-27 and 29-32, as amended, is

directed to a nonwoven, fibrous mat comprising chopped glass fibers having a relatively small

range of average fiber diameters, and a gypsum board faced with such a mat. In various

embodiments, the gypsum board exhibits a combination of desirable structural and functional

features that render it fire resistant and easily painted or otherwise given an aesthetically

pleasing finish after installation with a minimum of surface preparation required. The mat has

a high permeability, permitting easy extraction of excess water ordinarily present during

slurry-based manufacture of gypsum or other hydraulic set board. Surprisingly and

unexpectedly, gypsum board faced in accordance with the invention with the present

USSN 10/607,858 Docket No.: 7302 / 0140-2

nonwoven glass fiber mat, wherein the fibers consist essentially of fibers having average fiber diameters ranging from about 9.5 to 12.5  $\mu$ m, has a smoother surface than boards made with mats employing either larger or smaller diameter fibers. It is especially surprising and

significant that the aforementioned 9.5 to 12.5 µm fibers result in smoother board than that

obtained with fibers having a smaller diameter.

The Examiner has indicated that in accordance with MPEP 2111.03, the term "composed of" used in the recitation of the glass mat in claims 1, 22, 27, 29, and 32 can be interpreted as meaning either "consisting of" or "consisting essentially of," depending on the facts of the particular case. In the present instance, it is submitted that the specification, when read as a whole by a person of ordinary skill in the art, and as inferred by the Examiner, would clearly indicate that the latter meaning is intended. For example, applicant respectfully points to: (i) the recitation of the Field of the Invention at page 1, lines 8-9, of a glass fiber mat employing fibers having "a narrow range of diameters" used in producing gypsum board; (ii) the narrow range of diameters of fibers in preferred mats delineated at page 7, lines 17-20;

and (iii) the benefits of a narrow range of diameters set forth at page 7, lines 27-32.

recite a non-woven, glass fiber mat in which the glass fibers consist essentially of chopped

Accordingly, claims 1, 22, 27, 29, and 32 have been amended, for the sake of clarity, to

glass fibers having an average diameter ranging from about 9.5 to 12.5  $\mu m$ .

Claim 16 was rejected under 35 USC 112, second paragraph, as being indefinite for

failing to particularly point out and distinctly claim the subject matter regarded as the

JOHNS MANVILLE PAGE 11/31

10

USSN 10/607,858 Docket No.: 7302 / 0140-2

invention. In view of the cancellation of claim 16, it is submitted that the rejection thereof is now moot.

Accordingly, reconsideration of the rejection of claim 16 under 35 U.S.C. §112, second paragraph, as being indefinite, is respectfully requested.

Claims 1-3, 7-15, 17-18, 21-24, 27, 29, and 32 stand rejected under 35 USC 102(b) as being anticipated by US Patent 5,772,846 to Jaffee. The details of the rejection were said to be found in paragraph 10 of the Office Action dated December 27, 2004 [sic - 2004 was apparently intended].

Jaffee provides a thermoformable nonwoven fibrous mat having properties said to make it particularly suited for a facer on insulating gypsum board.

Applicant respectfully submits that the gypsum board delineated by amended claims 1-3, 7-15, 17-18, 21-24, and 27; the fibrous mat recited by amended claim 29; and the hydraulic set board of amended claim 32 are not disclosed by Jaffee. While Jaffee admittedly discloses, in general terms, a nonwoven fibrous mat for use as a facer on gypsum insulating board, applicant maintains that Jaffee fails to disclose or suggest the particular mat recited by applicant, let alone a gypsum board faced with mat delineated by the foregoing claims, as amended.

With respect to claims 1, 19-22, 27, and 32, and referencing col. 2, lines 1-15, the Examiner has pointed to Jaffee as teaching a nonwoven fibrous mat for use as a facer on gypsum insulating board. The Examiner has equated the latex binder of Jaffee (col. 2, lines

USSN 10/607,858 Docket No.: 7302 / 0140-2

35-45) with applicant's resinous binder. In addition, the Examiner has indicated that col. 3, lines 35-40 of Jaffee teaches glass fibers having an average fiber diameter from about 9 to 20 microns.

By way of contrast, applicant's claims 1, 27, and 32 (and claims 19-22 dependent on claim 1) recite a nonwoven fibrous mat comprising a web composed of chopped glass fibers. The fibers of the web consist essentially of fibers having an average fiber diameter ranging from about 9.5 to 12.5 µm. Significantly, the Examiner has not pointed to any disclosure or suggestion of such a range. In addition to the 9-20 micron fibers identified by the Examiner at col. 3, line 39, Jaffee is submitted to disclose preferred fibers having fiber diameters of 10-16 microns (col. 3, line 40); 16 microns (col. 3, line 42, col. 5, line 1, and claim 13); 13 microns (col. 6, line 67); and 15 microns (col. 3, line 8). Jaffee further teaches the preferability of mat comprised of a fiber blend including both glass fibers of the aforementioned diameters and organic microfibers. Clearly, none of the chopped glass fiber diameters disclosed by Jaffee is present within the 9.5 to 12.5 µm range recited by claims 1, 27, and 32. Neither does any mat species disclosed or suggested by Jaffee incorporate fibers having an average fiber diameter falling within applicant's range of about 9.5 to 12.5 µm. Even less is there any disclosure or suggestion of gypsum or hydraulic set board comprising mat having a web of fibers of such diameter.

Applicant respectfully maintains that Jaffee falls far short of the specificity of disclosure that would be required to properly ground a *prima facie* anticipation of claims 1-3, 7-15, 17-18, 21-24, 27, 29, and 32. Absent disclosure that every feature recited by a claim is

USSN 10/607,858 Docket No.: 7302 / 0140-2

disclosed by a single reference, either explicitly or implicitly, such a rejection is impermissible, as the Federal Circuit has repeatedly held. See, e.g., in the context of chemical arts, Atlas Powder Co. v. Ireco Inc., 190 F.3d 1342, 51 USPQ2d 1943 (Fed. Cir. 1999). ["To anticipate a patent claim, a prior art reference must disclose every limitation of the claimed invention, either explicitly or inherently...When a patent claims a chemical composition in terms of ranges of elements, any single prior art reference that falls within each of the ranges anticipates the claim; a single prior art species within the patent's claimed genus reads on the generic claim and anticipates. Id. at 1346.]

It is established law that a reference that describes subject matter delineated by a numerical range of composition does not per se anticipate a claim delineating a different range merely because of the overlap of such ranges. In the present instance, claims 1-3, 7-15, 17-18, 21-24, 27, 29, and 32 clearly recite such ranges. More specifically, claims 1, 27, 29, and 32 (and claims 2-3, 7-15, 17-18, and 21-24 dependent on claim 1) delineate a web composed of chopped glass fibers having an average fiber diameter ranging from about 9.5 to 12.5 µm. Claims 7, 8, 11, 12, 17, 18, and 22 recite additional features of preferred embodiments delineated by way of other numerical ranges. While the existence of a prior art species falling within a claimed generic range has been held to anticipate the claimed genus, in the present instance no species of Jaffee has been identified that falls within the claimed ranges. Absent such an identified species, a case-specific factual analysis is legally required to establish possible anticipation. Ex parte Cole, 2001 WL 1918535 (BPAI, 2001), quoting Ex parte Lee, 31 USPQ2d 1105, 1107 (BPAI, 1993). Explaining the nature of the factual

USSN 10/607,858 Docket No.: 7302 / 0140-2

analysis, the Board of Patent Appeals and Interferences required a determination of the specificity of disclosure. ["Where, as here, a reference describes a class of compositions, the reference must be analyzed to determine whether it describes a composition(s) with <u>sufficient specificity</u> to constitute an anticipation under the statute. Ex parte Lee, supra, at 1106-1107, emphasis added, citing In re Schaumann, 572 F.2d 312, 197 USPQ 5 (CCPA 1978).]

It is respectfully submitted that the Examiner's own statement ["...although Jaffee does not teach with certain specificity of Applicant's desired range, it should be noted that Jaffee's range does overlap with Applicant's range" (Office Action dated December 27, 2004 at page 5, lines 5-6, emphasis added)] clearly establishes that the specificity required under Lee to predicate anticipation is missing, rendering the present rejection of claims 1-3, 7-15, 17-18, 21-24, 27, 29, and 32 under 35 USC 102 untenable.

Moreover, applicant submits that surprising and unexpected results delineated by the instant specification even further rebut any purported conclusion that Jaffee provides the requisite level of specificity of disclosure. ["If the claims are directed to a narrow range, the reference teaches a broad range, and there is evidence of unexpected results within the claimed narrow range, depending on the other facts of the case, it may be reasonable to conclude that the narrow range is not disclosed with 'sufficient specificity' to constitute an anticipation of the claims. The unexpected results may also render the claims unobvious." MPEP 2131.03 (II).]

Accordingly, it is submitted that claims 1, 27, and 32 (as well as claims 2-3, 7-15, 17-18, and 21-24 dependent thereon), are not properly subject to an anticipation rejection.

USSN 10/607,858 Docket No.: 7302 / 0140-2

Applicant further maintains that the invention delineated by claims 1-3, 7-15, 17-18, 21-24, 27, 29, and 32 is not obvious over Jaffee. Significantly, Jaffee contains no disclosure or suggestion concerning any of the beneficial properties afforded by the board and mat of the present invention. As set forth by the specification, preferred embodiments of applicant's gypsum board provide, inter alia, flame resistance (page 10, lines 19-22) and high permeability of the mat that permits easy extraction of excess water present in the gypsum slurry during board fabrication (page 11, lines 19-34). Of particular significance is the desirable "hand" of the present mat and board, which permits easy application of surface finishes (such as paint) to installed board without extensive surface preparation (page 8, lines 5-14 and page 7, lines 11-14). Such benefits are surprisingly absent from boards made from fibers having diameters falling within other narrow ranges that are outside those required by applicant's claims, as set forth in the specification at page 7, lines 27-33. Significantly, Jaffee fails to recognize any of these benefits, which are clearly entirely unexpected and surprising. It is respectfully submitted that the presence of these advantageous benefits, which would not otherwise be obtained, provides ample basis for predicating patentability of claims 1-27 and 29-32 over Jaffee, under the standard of In re Geisler, 116 F.3d at 1465, 1470, 43 USPQ2d at 1362, 1365 (Fed. Cir. 1997). ["The court in Soni summed up the rule of that case as follows: '[W]hen an applicant demonstrates substantially improved results, as Soni did here, and states that the results were unexpected, this should suffice to establish unexpected results in the absence of evidence to the contrary.' citing In re Soni, 34 USPQ 2d 1684, 1688 (Fed. Cir. 1995).]

USSN 10/607,858 Docket No.: 7302 / 0140-2

Applicant respectfully submits that the data set forth as Comparative Example 1 and Examples 2-5 clearly establishes that the properties of the present mat and board are surprising and unexpected over the prior art of record. In particular, the Examiner's attention is respectfully drawn to Example 5, beginning on page 16 of the specification. The properties of gypsum boards constructed with the non-woven fibrous mats prepared in Examples 2-4 are compared with gypsum board constructed with the prior art mat of Comparative Example 1, which employs fibers having an average diameter of 13 µm, a value clearly within the range delineated by Jaffee. As set forth at page 17, lines 7-15, the Example 2-4 boards have a smoothness rating of 8, whereas the Comparative Example 1 board has a smoothness of only 4. It is submitted that these data clearly demonstrate the unexpected and surprising smoothness of gypsum board prepared using mat facers having the particular fibers required by applicant's claims. Absent any evidence to the contrary adduced by the Examiner, applicant maintains that the requirements of *Soni* and *Geisler*, supra, are satisfied, obviating the need for a further Declaration.

With respect to claims 2 and 3, the Examiner has pointed to col. 3, lines 34-40 of Jaffee as teaching that E-type, C-type, T-type, and sodium borosilicate glass fibers are preferred. However, these compositions are disclosed as having an average diameter ranging from about 9 to 20 microns. Accordingly, it is submitted that the compositions disclosed at col. 3, lines 34-40 of Jaffee do not anticipate claim 1, from which claims 2 and 3 depend. As to claim 7, certain disclosures of fiber length at col. 3, lines 55-60 have been cited. The Examiner has indicated that col. 3, lines 54-56 of Jaffee teaches fibers all having the same

USSN 10/607,858 Docket No.: 7302 / 0140-2

length; that this disclosure anticipates the recitation in claim 8 of fibers having a fiber length ranging from about 6 to 18 mm. It is respectfully submitted that such disclosures do not overcome Jaffee's lack of disclosure concerning the about 9.5 to 12.5 µm fiber diameter range, which is required by each of dependent claims 2-3 and 8. For the reasons set forth hereinabove it is submitted that claims 2-3 and 8 patentably define over Jaffee.

As to claims 9-10, Jaffee's teaching of a latex binder comprising a crosslinkable vinyl chloride acrylate copolymer latex (col. 3, lines 60-67) is cited, along with disclosure of an aqueous stearylated melamine emulsion said to act as an external crosslinker (col. 4, lines 14-30). In reference to claims 11-12, an amount of crosslinker in the amount of up to 10 weight percent is said to be taught at col. 4, lines 30-38. Col. 4, lines 15-20 is cited concerning claim 13 as providing the claimed melamine formaldehyde containing resinous binder. As to claim 14, the Examiner has cited Jaffee's disclosure of a glass transition temperature of up to 113°F, which is compared to applicant's recited range of about 15 to 45°C emulsion. Applicant respectfully observes that 15-45°C converts to 59-113°F, rather than the 15-133°F suggested by the Examiner. The purported water repellency effect of stearylated melamine at col. 4, lines 20-25 is cited with respect to claim 15. Jaffee's disclosure at col. 3, lines 18-25 of basis weights of 1.8 to 2.2 pounds per 100 square feet with regard to claims 17 and 18. As to claims 23 and 24, the Examiner has pointed to Jaffee's disclosure that it is known to face a gypsum wall board with a fiber glass non woven mat and the incorporation by reference into Jaffee of US Patent 4,647,496.

USSN 10/607,858 Docket No.: 7302 / 0140-2

However, applicant maintains that none of these disclosures overcomes the lack of disclosure of the 9.5 to 12.5 µm range of average fiber diameters recited by claim 1, from which claims 2-3, 7-15, and 21-24 depend.

In view of the foregoing remarks, it is submitted that a prima facie case of anticipation of claims 1-3, 7-15, and 21-24 has not been established.

As to claim 29, the Examiner has pointed to Jaffee's disclosure of a nonwoven fibrous mat for use as a facer on a gypsum board (col. 2, lines 1-15), the mat comprising a major portion of textile glass fibers and a minor portion of polymer fibers (col. 2, lines 50-60). The Jaffee mat is said to be bound together with a latex (col. 2, lines 35-45). Glass fibers having a length between 0.25 and 1 inch are said to be used (col. 3, lines 55-60), as are fibers with an average diameter ranging from about 9 to 20 microns (col. 3, lines 35-40).

It is respectfully submitted that the same considerations demonstrating lack of a prima facie case for anticipation of claim 1 over Jaffee are applicable as well to claim 29. In particular, it is submitted that Jaffee does not disclose (i) the particular fiber diameter range of about 9.5 to 12.5 µm recited by both claims 1 and 29, or (ii) any species falling within that range. As a result, any gypsum board constructed in accordance with the teaching of Jaffee would lack the surprisingly unexpected and highly desirable properties including, inter alia a smooth, easily finished surface, exhibited by the mat-faced gypsum board defined by claim 29. Accordingly, it is submitted that claim 29 patentably defines over Jaffee.

With respect to claim 32, the Examiner has stated that claim 32 remains rejected as set forth in detail in paragraph 6 of the December 27, 2004 Office Action. In particular, the

USSN 10/607,858 Docket No.: 7302 / 0140-2

previous Office Action stated that the limitation of "hydraulic set" had not been given any patentable weight because the method of making the gypsum board is not germane to the issue

of patentability of the product itself. No other remarks are set forth in paragraph 6 of the

present Office concerning the way in which Jaffee was particularly applied to reject claim 32,

which is an independent claim.

706.02(j), sections (A) – (D), and 37 CFR 1.104 (c)(2).

However, in paragraph 11 of the present Office Action dated August 15, 2005, the Examiner has acknowledged applicant's argument that the limitation of "hydraulic set" should be given full patentable weight. Accordingly, it is submitted that the basis on which claim 32 stands rejected, namely the lack of patentable weight given to the "hydraulic set" limitation in the August 15 Office Action, is no longer apposite. Thus, it is respectfully submitted that the rejection of claim 32 as it stands is improper and incomplete, there being no positive recitation of the manner in which Jaffee is applied to claim 32, as is required by MPEP

Even so, applicant maintains that Jaffee fails to disclose or suggest the average fiber diameter range of about 9.5 to 12.5 µm delineated by claims 1 and 29. For at least the same reasons as set forth hereinabove concerning claims 1 and 29, applicant respectfully submits that claim 32 patentably differentiates Jaffee.

In view of the amendment of claims 1, 22, 27, 29, and 32, and the foregoing remarks, it is submitted that claims 1-3, 7-15, 17-18, 21-24, 27, 29, and 32, as amended, are novel over Jaffee.

JOHNS MANVILLE

PAGE 20/31

19

USSN 10/607,858 Docket No.: 7302 / 0140-2

Accordingly, reconsideration of the rejection of claims 1-3, 7-15, 17-18, 21-24, 27, 29, and 32 under 35 USC 102(b) as being anticipated by Jaffee is respectfully requested.

Claims 1, 16, and 25 were rejected under 35 USC 102(b) as being anticipated by US Patent 5,308,692 to Kennedy et al., which discloses fiber mats for use as a fire resistant underlament or facing for materials used in the building and construction industries. The mat comprises a blend of mineral fibers and glass fibers wherein the mineral fibers comprise between 50 and 95 weight percent of the blend of fibers. Col. 2, lines 65-69.

It is said that the details of the rejection of claims 1, 16, and 25 are set forth in paragraph 13 of the Office Action dated December 27, 2004. As to claim 1, the Examiner pointed in that action to disclosure at col. 3, lines 64-69 of a fire resistant mat comprising a blended web of mineral wool fibers and monofilament glass fibers wherein the fibers are bonded by a heat settable fire resistant binder. Glass fibers suitable for the Kennedy et al. mat are said to have a diameter between 10 and 20 microns and a length of about 1.2-4.4 cm (col. 4, lines 43-50).

Applicant respectfully submits that nowhere in the Kennedy et al. reference is there any disclosure or suggestion of non-woven glass fiber mat comprising a web of glass fibers that consist essentially of chopped glass fibers having an average fiber diameter ranging from about 9.5 to 12.5 µm. Instead, the glass fibers are said to have diameters between 10 and 20 microns, as noted by the Examiner, and as recited also by claim 4. Fibers of 15 micron diameter are said to be preferable (col. 4, line 48). Applicant, on the other hand, has found

USSN 10/607,858

Docket No.: 7302 / 0140-2

that a board faced with mat containing fibers of this diameter are substantially less smooth than those of the present board, as taught at page 7, lines 27-33. Moreover, the mat of Kennedy et al. comprises a blend of fibers including both the aforementioned 10-20 micron glass fibers and other fibers such as mineral wool. For example, claim 1 of Kennedy et al. requires the blend to comprise a preponderance (i.e. 50-95%) of mineral fibers, which are not present in any substantial amount in the present mat. Accordingly, it is submitted that the manufacture of the Kennedy et al. mat is inherently more complicated, requiring additional process steps to assure that fibers of the disparate diameters and types required are uniformly blended. Significantly, the diameter of the glass fibers used in the mat species provided by Kennedy et al. is not expressly disclosed. Applicant submits that one of ordinary skill would regard this lack of disclosure as teaching that fibers encompassing the aforementioned 10-20 micron range would have been used, and that the Kennedy et al. patentees did not regard any particular value within that range as being at all critical.

Applicant respectfully submits that the law cited hereinabove in connection with the rejection of claims 1-3, 7-15, 17-18, 21-24, 27, 29, and 32 over Jaffee is equally pertinent to the rejection of claims 1, 16, and 25 over Kennedy et al. More specifically, Kennedy et al. discloses no species wherein the glass fibers used have a diameter falling within the range delineated by claim 1 and inherited by claims 16 and 25, which depend on claim 1. As a result, Kennedy et al. must also be evaluated under the *Lee* standard to determine if the level of specificity of disclosure is sufficient to sustain an anticipation rejection. It is respectfully submitted that the present rejection lacks the required analysis and that the required specific

USSN 10/607,858 Docket No.: 7302 / 0140-2

disclosure is not provided by Kennedy et al. Significantly, the Examiner herself has acknowledged the lack of specificity with respect to Kennedy et al. as well: "...although Kennedy does not teach with certain specificity of Applicant's desired range, it should be noted that Jaffee's [sic - Kennedy was obviously intended] range does overlap with Applicant's range. (See page 6, lines 12-14 of the instant Office Action.) Therefore, applicant maintains the rejection of claims 1, 16, and 25 under 35 USC 102(b) over Kennedy et al. is not proper.

Having termed 15 micron fibers preferable, the Kennedy et al. patentees clearly cannot be regarded as having taught any mat comprising fibers with average fiber diameters in applicant's claimed range of 9.5 to 12.5 µm as having been used or preferred. Moreover, all the mat species disclosed by Kennedy et al. employ a blend of fibers; and not fibers having a relatively restricted range of diameters as delineated by claims 1 and 16, and 25 dependent thereon. Reference is drawn particularly to Table 1, wherein the six samples all comprise a blend of 80-90% mineral wool and only 10-20% glass fiber.

As set forth hereinabove in connection with the 102(b) rejection over Jaffee, the restricted range of fiber diameters employed in the present mat and gypsum board results in a board having a surface that is surprisingly and unexpectedly smooth. Surface finishing, such as painting and the like, is accomplished far more easily and expeditiously. Spackling or related treatments comprising application of a filler substance to level out surface asperities, conventionally required to achieve a satisfactory finish using prior art glass fiber mat faced gypsum boards, are not required in most cases for the board recited by applicant's claims.

USSN 10/607,858

Docket No.: 7302 / 0140-2

Applicant again points to Comparative Example 1 and Examples 2-5 as establishing the novelty and nonobviousness of claims 1, 16, and 25, as set forth hereinabove in connection with the novelty rejection of claims 1-3, 7-15, 17-18, 21-24, 27, 29, and 32 over Jaffee. It is particularly submitted that Example 5 establishes the unexpected and surprising smoothness of gypsum boards constructed in accordance with the invention, thereby rendering claims 1, 16, and 25 patentably novel and unobvious over Kennedy et al. as well.

For these reasons, and those further set forth above, it is submitted that Kennedy et al. does not disclose or suggest a gypsum board having the outstanding combination of structural and functional properties afforded by the gypsum board recited in present claims 1, 16, and 25.

Accordingly, reconsideration of the rejection of claims 1, 16, and 25 under 35 U.S.C. 102(b) as being anticipated by Kennedy et al. is respectfully requested.

Claims 26 and 31 were rejected under 35 USC 102(b) as being anticipated by or, in the alternative, under 35 USC 103(a) as obvious over Jaffee.

As set forth hereinabove in connection with the 102(b) rejection of claims 1-3, 7-15, 17-18, 21-24, 27, 29, and 32 over Jaffee, it is submitted that Jaffee fails to disclose or suggest any gypsum board faced with a mat comprising a web composed of glass fibers having an average fiber diameter ranging from about 9.5 to 12.5 µm, as required by claim 1, from which claim 26 depends, or by claim 29, from which claim 31 depends.

USSN 10/607,858 Docket No.: 7302 / 0140-2

Even less is there any disclosure or suggestion of a gypsum board that would exhibit flame resistance sufficient to pass the test of ASTM Method E84, Class 1, as recited by claim 26, or a fibrous mat as recited by claim 31 that would have a permeability of at least about 250 cfm/ft<sup>2</sup>, as measured in accordance with ASTM Standard D237. While the Examiner has admitted that there is no explicit disclosure or suggestion in Jaffee of such flame resistance or permeability, she has asserted that such properties may be presumed to be inherent and that the burden is upon applicant to prove otherwise under *In re Fitzgerald*, 619 F.2d 67, 205 USPQ 594 (C.C.P.A. 1980) and *In re Best*, 562 F.2d 1252, 195 USPQ 430 (C.C.P.A. 1977).

Applicant respectfully submits that the Examiner's reliance on Fitzgerald and Best is misplaced, inasmuch as the factual situation required for those cases to be apposite is not satisfied in the present instance. The Examiner further points to footnote 4 of the Best decision for the proposition that a rejection may be made alternatively for obviousness under 35 USC 103 or anticipation by inherency under 35 USC 102. However, the Best holding, which was affirmed by Fitzgerald, supra, was predicated on the substantial identicality of the claimed and prior art products. ["Where, as here, the claimed and prior art products are identical or substantially identical... the PTO can require an applicant to prove that the prior art products do not necessarily or inherently possess the characteristics of his claimed product." Best. supra, at 1255, emphasis added.]. In the present instance, therefore, the gypsum board of claim 26 and the fibrous mat of claim 31 must be substantially identical to the gypsum board and fibrous mat allegedly provided by the Jaffee disclosure for Fitzgerald and Best to be applicable.

USSN 10/607,858 Docket No.: 7302 / 0140-2

Applicant respectfully traverses any such identification. The Examiner has admitted that Jaffee does not disclose or suggest flame resistance, but instead relies on the presumed inherency of such a feature in the Jaffee gypsum board. As set forth hereinabove in connection with the 102(b) rejection of claim 1 over Jaffee, gypsum board employing mat comprising chopped glass fibers of the particular diameter range applicant requires is not disclosed or suggested by Jaffee. To the contrary, the preferred diameter ranges and the disclosed species all employ larger diameter fibers. As a result, it is submitted that there are substantial differences between any gypsum board disclosed or suggested by Jaffee and the board recited by claim 1, on which claim 26 depends, precluding application of Fitzgerald or Best in respect of claim 26.

Even less is there any warrant for applying the Fitzgerald or Best decisions to claim 31. As set forth hereinabove, Jaffee prefers the use of chopped glass fibers larger in diameter than those recited by claim 29. Moreover, far from being silent as to permeability, Jaffee discloses that mat having a minor portion of glass microfibers (i.e. fibers smaller in diameter than the aforementioned chopped glass fibers) has very small windows that catch very fine particles and provide high efficiency filtration. Applicant thus submits that the finding that a high permeability can be attained in mat comprising fibers of smaller diameters, as delineated by claim 31, as amended, is surprising and unexpected. Such properties are exhibited by exemplary mats of the invention, e.g. as set forth in the Examples of Table 3.

The Examiner has traversed the argument allegedly made by applicant that the flame resistance and permeability properties recited by claims 26 and 31 are not inherent. Applicant

JOHNS MANVILLE

USSN 10/607,858 Docket No.: 7302 / 0140-2

respectfully submits that the Examiner has mischaracterized applicant's position. As set forth above, the Examiner has relied on Fitzgerald and Best to presume that the claimed properties are in fact inherent. On the other hand, applicant's amendment filed on June 3, 2005 asserted that the factual situation required for Fitzgerald and Best to be applicable is not satisfied in the present instance, because the mats of Jaffee are not substantially identical to those claimed by applicant. As a result, it is maintained that the burden to prove that the claimed properties are not exhibited by the Jaffee mat has not properly been shifted to applicant. Accordingly, it is submitted that the Examiner has not established a proper basis on which the rejection based on presumed inherency could properly be predicated.

Furthermore, the Examiner's attention is respectfully drawn arguendo to US Patent 4,637,951 to Gill et al., which discloses a fibrous glass mat that includes a majority of base fibers having a mean diameter in the range of 10 microns with a minor amount of microfibers (Abstract). Importantly, such a mat has a fiber content that lies within the ranges delineated by Jaffee, which teaches an embodiment that can include microdenier synthetic polymer fibers in minor proportions in combination with glass fibers having average diameters from about 9 microns to about 20 microns. See, e.g., col. 3, lines 38-40 and 47-50 of Jaffee. However, the Gill et al. mat preferably has a porosity of no greater than 225 cubic feet per minute per square foot of mat as measured using the Frazier Air Permeability Test (Abstract). In other embodiments, the Gill et al. mat has even lower air permeability, e.g. 180 cubic feet/min (col. 5, line 59); and 40-225 cubic feet/min (claims 3 and 12). Such data clearly refute any presumption that mats disclosed by Jaffee inherently all have an air permeability of greater

USSN 10/607,858 Docket No.: 7302 / 0140-2

than about 300 cubic feet/minute/square foot, as delineated by claim 31. ["Before a reference can be found to disclose a feature by virtue of its inherency, one of ordinary skill in the art viewing the reference must understand that the unmentioned feature at issue is necessarily present in the reference. The test of inherency is not satisfied by what a reference 'may' teach. ('Inherency... may not be established by probabilities or possibilities. The mere fact that a certain thing may result from a given set of circumstances is not sufficient.') (SGS-Thomson Microelectronics, Inc. v. International Rectifier Corp., 32 USPQ 2d 1496, 1503 (Fed. Cir.) (unpublished), cert. denied, 513 U.S. 1052 (1994), quoting Continental Can, 948 F.2d at 1268-69, 20 USPQ 2d at 1749-50.)

In the present instance, the Examiner has not pointed to any disclosure or suggestion in Jaffee (or elsewhere) that differentiates the air permeability of mats broadly disclosed, at least some of which lack the air permeability required by claim 31, from those made with the particular range of average glass fiber diameter recited by applicant. Accordingly, it is submitted that the preferred mat delineated by claim 31 is novel and unobvious over Jaffee.

With respect to applicant's position concerning claims 26 and 31, the Examiner has made the following statement:

"Since the prior art reads on the present claim limitations, it is asserted that the claimed properties must be inherent to the prior product. If said property is not inherent, it is asserted that the claimed properties must be inherent to the prior product. If said property is not inherent, it is asserted that Applicant's claim must be incomplete. In other words, if Applicant's asserts a lack of inherency in the prior art product then Applicant's claimed invention is missing an element that is critical to the invention, which would patentably distinguish it form the known prior art." (Office Action dated August 15, 2005, page 7, final

USSN 10/607,858 Docket No.: 7302 / 0140-2

Applicant respectfully disagrees. As set forth above, Jaffee does not disclose any species that fall within the numerical ranges delineating the particular fibers used in

applicant's mat and gypsum board. Applicant also submits that Jaffee does not disclose the

air permeability of any mat, and the Examiner has acknowledged the lack of disclosure of the

limit of air permeability of about 300 cubic feet/min/square foot recited by claim 31.

Moreover, as established by the disclosure in Gill et al. cited above, at least some of the mats

within the ambit of the Jaffee disclosure do not possess the requisite air permeability,

precluding any argument that the requisite air permeability is inherently present in every

Jaffee mat. On the other hand, claim 31 is directed to a preferred fibrous mat, in which a

structural property is recited, albeit in functional form of a limit on air permeability.

Applicant accordingly traverses the Examiner's apparent contention that a structural element

is missing from any of applicant's claims.

For these reasons, it is submitted that Jaffee does not disclose or suggest a gypsum

board or mat having the outstanding combination of properties afforded by the gypsum board

recited by present claim 26 and the mat of claim 31.

Accordingly, reconsideration of the rejection of claims 26 and 31 under 35 U.S.C.

102(b) as being anticipated by or, in the alternative, under 35 USC 103(a) as obvious over

Jaffee is respectfully requested.

Claims 4-6, 19, and 20 were rejected under 35 USC 103(a) as being unpatentable over

Jaffee. As to claims 4-6, Jaffee is said to teach mat containing a major portion of glass fibers

USSN 10/607,858 Docket No.: 7302 / 0140-2

having an average fiber diameter ranging from about 9 to 20 microns (col. 3, lines 35-40) and a minor portion of polyester fibers (abstract). The minor portion can have a diameter of 0.4-2 microns (col. 3, lines 40-47).

As correctly recognized by the Examiner, Jaffee fails to disclose a mat containing glass fibers having a diameter of between about 9.5 and 12.5  $\mu$ m that comprise: at least about 90% by weight of the glass fibers required by claims 4 and 30; or at least 95% and 97% as delineated by claims 5 and 6, respectively. The Office Action also recognizes the lack of disclosure in Jaffee of a mat having a basis weight of  $1.25 \pm 0.2$  pounds per 100 square feet, as required by claim 19. While applicant certainly agrees that the percentage of glass fibers having a diameter of 9.5-12.5  $\mu$ m is a result effective variable, applicant strongly disagrees that selection of such a restricted range is obvious in light of Jaffee. In particular, it is submitted that the smoothness of mat comprising glass fibers having a diameter ranging from about 9.5 to 12.5  $\mu$ m and of gypsum board made therewith is surprising and unexpected, since skilled artisans would have expected such a mat not to be as smooth as mat made with smaller fibers. See page 7, lines 27-33 of the specification. Absent evidence to the contrary, such surprising and unexpected results, inherent to mats defined by applicant's claims 4-6, 19 and 20, provide ample basis for predicating patentability of those claims over Jaffee. In re Geisler, supra.

Accordingly, reconsideration of the rejection of claims 4-6, 19, and 20 under 35 U.S.C. 103(a) as being obvious over Jaffee is respectfully requested.

USSN 10/607,858

Docket No.: 7302 / 0140-2

Claim 20 was rejected under 35 USC 103(a) as being unpatentable over Jaffee in view of US Patent 6,365,533 to Horner, Jr., et al., which relates to a low fiber, plyable facer suitable for use in insulation board manufacture.

Applicant respectfully disagrees with the Examiner's position that Jaffee teaches the invention recited by claim 20, except for disclosure of a second face comprising kraft paper. The structural and functional distinctions between Jaffee's board and the board defined by applicant's claims are set forth hereinabove in connection with the 102(b) rejection of claims 1-3, 7-15, 17-18, 21-24, 27, 29, and 32 over Jaffee. Clearly, Horner, Jr., et al. does not disclose or suggest an average fiber diameter ranging from about 9.5 to 12.5 µm. In this respect the Horner, Jr. et al. teaching does not appreciably add to the Jaffee teaching, and cannot be combined therewith to render obvious the board called for by applicant's claims. Inasmuch as Horner, Jr. et al. does not cure the aforementioned deficiencies of Jaffee, its combination therewith does not render obvious the invention of claim 20.

For these reasons, and those set forth above, it is submitted that the proposed combination of Jaffee and Horner, Jr., et al. does not disclose or suggest the gypsum board recited by present claim 20.

Accordingly, reconsideration of the rejection of claim 20 under 35 U.S.C. 103(a) as being obvious over the combination of Jaffee and Horner, Jr., et al. is respectfully requested.

In view of the amendment to claims 1, 22, 27, 29, and 32, the cancellation of claim 16, and the foregoing remarks, it is respectfully submitted that the present application has been

USSN 10/607,858 Docket No.: 7302 / 0140-2

placed in allowable condition. Reconsideration of the rejection of claims 1-32, entry of this present amendment, and allowance of the present application, as delineated by amended claims 1-15, 17-27 and 29-32, are, therefore, earnestly solicited.

Respectfully submitted,

Alan M. Jaffee

Robert D. Touslee (His Attorney) Reg. No. 34,032 (303) 978-3927